


SHARP

Be Original.

SHARP

Be Original.

LED TV & AUDIO
Catalog 2020



AQUOS 8K

AI Revelation Engine



Upscales 2K and 4K video content in real-time to high-resolution 8K.

Sharp has newly developed an image processing engine that uses ultra-small semiconductor process technology to achieve 8.8 times more processing power^{*4} than conventional models. This technology is used to not only deliver large capacity 8K video at 120 Hz (twice the speed of conventional full HD) in real-time, but also upscale various content, such as television broadcasts and 2K/Ultra HD Blu-ray content, to high-resolution 8K video. Experience video content like never before.

8K AI Thinner Processor

Analyzes low resolution videos and signals, predicts minute details in original objects, and reconstructs minute information to upscale images to 8K resolution, resulting in clear, high-definition videos.



8K AI Upconvert

Broadly analyzes target pixels and surrounding information, and predicts the original shape of objects on screen. It reconstructs information that is easily lost during the upscaling process to create realistic video content.




8K AI Noise Reduction

Analyzes the components of video signal noise and performs dynamic noise reduction processing according to the video's characteristics to create clear and natural images with both reduced noise and accurate reconstruction.



8K 120 Hz

Equipped with high-speed arithmetic processing circuits that process extremely large amounts of data (32 times^{*5} more data than full HD) in real-time. This technology analyzes highly dense 8K video content, detects the movements of subjects on screen, and forms and interpolates intermediate 8K images to create smooth, realistic-looking, high-resolution videos.




Sound made for 8K

Equipped with Eilex Prism™ which delivers powerful sound and increases the sweet spot range


Eilex utilizes a sophisticated algorithm to calculate techniques to deliver powerful sound from the center of the screen. This technology allows users to clearly hear the sound of each musical instrument on screen.

Dimensional & Clear Sound.



Uniquely shaped speakers and double subwoofer deliver natural and clear high-quality sound.

The angled structure of the 2-way speaker unit creates a broader sound field reproduction area projecting sound upward and in front of the TV. In addition, the tweeters have been intuitively positioned in a manner that expands the sound stage in the middle of the TV screen. This allows users to enjoy a richer and more ambient listen experience.



JAPAN QUALITY

7

SHIELDS




PERLINDUNGAN DARI PETIR

Resistor melindungi produk dari gelombang petir melalui kabel AC yang sesuai dengan standar EMC.



PERLINDUNGAN STABILITAS PRODUK

Stabilitas struktur yang kuat telah di uji dengan stabilitas di level standar IEC 60065.



PERLINDUNGAN VOLTASE TIDAK STABIL

Produk bekerja dengan aman walaupun tegangan tidak sesuai standar produk (110-240V).



PERLINDUNGAN TEMPERATUR TINGGI & KELEMBABAN

Telah terbukti dan diuji berdasarkan IEC 60065 standar untuk mengadopsi pengaturan suhu dan kelembaban yang tinggi.




PERLINDUNGAN TERHADAP GETARAN

Desain TV dan kardus yang tahan akan guncangan selama pengiriman sesuai dengan demografi negara Indonesia yang luas.



PERLINDUNGAN BEBAN BERAT

Ketentuan desain gantungan dinding (wallmount) diuji dengan pembebanan berat standar IEC 60065.



PERLINDUNGAN TERHADAP JATUH

Desain kardus beserta styrofoam yang berkualitas membuat Anda tidak perlu cemas dengan kecelakaan yang tidak diinginkan saat Anda membeli TV.



**PERLINDUNGAN
UNTUK LED TV ANDA**

androidtv

Say Good morning to your new lifestyle

AQUOS 4K



Google Assistant on AQUOS

With AQUOS and Google Assistant, quickly access entertainment, control smart devices, get answers on screen, and more using your voice.



Control smart home devices

Use your voice to create the perfect viewing environment. Control smart home devices throughout your home. Adjust room temperature, lighting, or control other connected devices.



MEET over 5,000 apps

It brings together all of the entertainment you love and helps you explore it in new ways, anytime, anywhere.



CONNECT from Phone

It lets you stream your favorite entertainment from your phone, tablet or laptop right to your TV.



Captures real beauty.

Colour balance kept intact to bring colour closer to that of nature.

androidtv



Hiburan untuk anda

Android TV™ memberikan konten yang menarik, aplikasi, dan games untuk Anda. Streaming film, mendengarkan musik, atau memainkan games Android pada layar terbesar Anda dengan fitur-fitur praktis seperti Google Assistant dan Chromecast.



Kombinasi teknologi AI dan IoT pada produk SHARP memberikan Anda gaya hidup yang lebih praktis.

Anda dapat menyalaikan, mematikan, mengatur suhu dan berbagai perintah lainnya untuk produk AC, Air Purifier, dan Smart Devices lainnya secara wireless via Google Assistant remote TV Anda.

** Membutuhkan koneksi internet

** Smart Devices yang kompatibel dengan Google Assistant



Game Android di TV layar besar

Games Android dengan gaya console di TV Anda menggunakan Joystick, menyenangkan bermain game balap, side-scroller 2 dimensi, perang 3 dimensi, dan petualangan menarik. Android TV menawarkan cara baru bermain games Android.



Sedikit browsing, banyak menonton

Android TV memberikan Anda konten yang menarik, sehingga Anda tidak perlu berlama-lama mem-browsing dan lebih banyak menonton. Cukup pilih Recommendation yang sudah disesuaikan dengan selera Anda dan akan muncul secara otomatis di layar Home.



Chromecast Built-in

Chromecast Built-In membuat Anda bisa menampilkan film, pertunjukan, dan foto dari perangkat telefon Android atau iOS dan laptop Anda ke TV. Streaming konten tersinkronisasi dengan telefon, tablet, dan perangkat Android, sehingga Anda mulai menonton film di TV sambil melakukan aktivitas lain di smartphone Anda.




Azan Reminder

Pengalaman menonton TV semakin menyenangkan dan disiplin waktu beribadah dengan fitur Azan Reminder. Kewajiban ibadah 5x sehari akan lebih mudah dilaksanakan tepat waktu.



Bluetooth® AUDIO OUT

Ruang TV dan ruang keluarga jadi lebih nyaman dan leluasa tanpa terganggu dengan kabel-kabel yang menjuntai. Fitur Bluetooth Audio Out menghubungkan perangkat audio wireless Anda ke TV.



NETFLIX

Rasakan pengalaman menonton film favorite dengan layanan streaming Netflix langsung di TV Android Anda. Tonton ribuan acara TV, film, dan pemrograman asli Netflix langsung di TV Anda.

*membutuhkan langganan bulanan dan koneksi internet

easy smart

Semua hiburan Anda dengan 4 aplikasi serbaguna

Sharp Easy Smart adalah platform sederhana dan cerdas yang memberi Anda begitu banyak pilihan hiburan dengan 4 aplikasi pra-instal.



Remote Control dengan tombol YouTube & Browser

Akses mudah ke saluran hiburan favorit Anda



Platform EasySmart

Tampilan pengguna sederhana mempermudah pengoperasian.

8K androidtv



AX1X

80" / 70" / 60"



SYMMETRICAL DESIGN



8K Resolution

- 8K Resolution Panel with IGZO Technology
 - Rich Colour Plus
 - Ultra Dynamic Range Pro

Android TV

- Gaming On The Big Screen
 - Google Assistant
 - Chromecast Built-In



- Android, Android TV, Google Play, YouTube, Google Cast and other marks are trademarks of Google Inc.
- The Android is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 attribution License.
- Netflix is available in select countries. Streaming membership required.
More information at www.netflix.com

CL1X
80"

- 4K Ultra HD with HDR Technology
- 4K Master Engine Pro
- High Brightness Panel
- Android TV with Google Assistant
- Bluetooth Audio Out

4K androidtv Google Assistant Chromecast built-in DVB-T2
Browser YouTube Bluetooth® Quality Assurance



BK1X
70'' / 60'' / 50''

- 4K Ultra HD with HDR Technology
- 4K Master Engine Pro II
- Android TV with Google Assistant
- Bluetooth Audio Out
- Azan Reminder
- Chromecast Built-In



• Android, Android TV, Google Play, YouTube, Google Cast and other marks are trademarks of Google Inc.
The Android is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 attribution License.
• Netflix is available in select countries. Streaming membership required.
More information at www.netflix.com.

CP1X

60"

- 4K Ultra HD with HDR Technology
- Video Wall Setting up to 3x3 (up To 180")
- Flexible Installation Portrait/Landscape
- 16/7 Operating Time
- IP-Based Welcome Screen
- Time-Controlled USB Playback



AH1X

70'' / 60'' / 50''

- 4K Ultra HD with HDR Technology
- 4K Master Engine Pro
- EasySmart (YouTube & Browser)
- Azan Reminder
- Bluetooth In & Out
- Wireless Mirroring



CH1X

60"

- 4K Ultra HD with HDR Technology
- 4K Master Engine Pro II
- DVB-T2 Ready
- Sound-Reflecting Design
- USB for Movie, Music, & Photo





BG1i

50" / 42" / 32"

- Full-HD with HDR Technology*
- X2 Master Engine
- Android TV with Google Assistant
- Bluetooth Audio Out
- Azan Reminder
- Chromecast Built-In

*Except size 32"

FULL
HD* androidtv



AE1

50" / 45"

- Full-HD with HDR Technology
- X2 Master Engine
- EasySmart (YouTube & Browser)
- Azan Reminder
- Bluetooth In-Out
- Wireless Mirroring

* Hanya untuk ukuran 50" dan 42".

FULL
HD easy smart Real Colour



AD1i

50"

- Full-HD with LED backlight
- DVB-T2 Compatible
- Comfort Mode
- Child Timer
- USB for Movie, Music, & Photos
- Slim Design

FULL
HD Wide Colour DVB-T2



BD1i

42"

- Full-HD with LED backlight
- DVB-T2
- Super ECO Mode
- USB for Movie, Music, & Photos
- Comfort Mode

FULL
HD DVB-T2 Super ECO Comfort Mode



BB1i

42"

- Full-HD with LED backlight
- USB for Movie, Music, & Photos
- Comfort Mode
- Super ECO Mode
- Antenna Booster

FULL
HD Super ECO Comfort Mode



SA4500i

32"

- HD-Ready with LED backlight
- EasySmart TV
- DVB-T2
- Wireless Mirroring
- Wallpaper Mode

HD
READY easy smart DVB-T2 YouTube





BD1iTG

32"

- HD-Ready with LED backlight
- DVB-T2 Ready
- IIOTO 20W Powerful Sound
- USB for Music & Photos
- Easy Wall Mount
- Super ECO Mode



SA4200i

32"

- HD-Ready with LED backlight
- DVB-T2
- USB for Movie, Music, & Photos
- Super ECO Mode
- Comfort Mode



BB1iTB/BB2iTW

32"

- HD-Ready with LED backlight
- IIOTO 20W Powerful Sound
- USB for Music & Photos
- Easy Wall Mount
- Super ECO Mode



SA4102i/4101i/4100i

32"

- HD-Ready with LED backlight
- Super ECO Mode
- USB Movie, Music, & Photos
- Comfort Mode
- Antenna Booster



CB3i-BK/WH

24"

- HD-Ready with LED backlight
- IIOTO 10W Powerful Sound
- USB Movie, Music, Photo
- USB Fast Charging
- HDMI x 2
- Antenna Booster



BA1i/BA2i

32"

- HD-Ready with LED backlight
- USB for Music & Photos
- Sound Reflect Design
- Super ECO Mode



SA4100i/4000i

24"

- HD-Ready with LED backlight
- USB Movie, Music, & Photos*
- Antenna Booster
- Easy Colour Adjustment
- Photo frame
- Timer Function
- Eco Mode

*Type SA4100i only



LE175i/170i

24"

- HD-Ready with LED backlight
- USB Movie, Music, & Photos*
- Antenna Booster
- Easy Colour Adjustment
- Photo frame
- Timer Function
- Eco Mode

*Type LE175i only





AN-SS1

Shoulder Speaker

Bluetooth V4.1 | Sound Vibration Speaker (SVS) | Built-in rechargeable battery | 17 Hours of playback time | Compatible with wide variety of TV, Gaming and mobile devices | AI Interface with mobile phones for Siri/Google Asst/Bixby

Available colour :



Bluetooth™



PS-930

new

Party Speaker with Bluetooth

Power Output 70W RMS | DC operated : 12V, 7.2Ah Lead Acid Rechargeable Battery | AC operated | 2-Mic Karaoke input | Flashing LED Light | FM Tuner | Bluetooth | USB | Audio-In | 5 Preset Equalizer | Microphone include

Bluetooth™ 70W RMS RECHARGEABLE BATTERY FM RADIO USB KARAOKE FUNCTION



AN-SS2/AN-SS2M

Shoulder Speaker with Bluetooth

Bluetooth V5.0 | Built-in rechargeable battery | 14 Hours of playback time | Compatible with wide variety of TV, Gaming and mobile devices | AI Interface with mobile phones for Siri/Google Asst | IPX4 Splash Proof | Dongle included (AN-SS2)

Available colour :



AN-SX7A

Shoulder Speaker with Bluetooth

Bluetooth V5.0 | Built-in rechargeable battery | Experience with surround sound & presence Acoustic Vibration System provides powerful sound with heavy bass | Compatible with wide variety of TV, Gaming & mobile devices | AI Interface with mobile phones for Siri/Google Asst | Dongle included



PS-920

Party Speaker with Bluetooth

Power Output 44W RMS | Portable System with Built-in Battery | Flashing LED Effect | Bluetooth Connection | 2 Mic Karaoke Input | FM Tuner | USB Port | Mic. included

Bluetooth™

44W RMS RECHARGEABLE BATTERY FM RADIO USB KARAOKE FUNCTION




GX-BT1

Bluetooth Speaker

Power Output RMS 20W (10W/ch) | Single unit split into 2 (TWS) | Bluetooth 4.2 | Built-in Microphone | Battery : 1,500mA x 2 | Full waterproof: IPX7 | 7 Hours Play time

Bluetooth™ 20W RMS RECHARGEABLE BATTERY FM RADIO



CBOX-MAX06UBL

Multimedia Speaker with Bluetooth

Woofer Size 6" | Bluetooth Connection | USB Playback | FM Radio | Karaoke Function | 6 Equalizer | Magnetically Shielded | Ambience 6 Lights



HI BEAT
High Power Sound in One Box Speaker



PRO series

CBOX-PRO10/12/15UBB CBOX-PRO/20/22UBB

Speaker Active with Bluetooth

Karaoke | USB Movie Reading with Vocal Cancelling* | Bluetooth Connection | USB Playback | FM Radio



carbon

karaoke function

magnetically shielded

6-way 6-speaker system

double power

powerful sound

karaoke

4K LED TELEVISION					
MODEL	4T-C80CL1X	4T-C70BK1X	4T-C60BK1X	4T-C50BK1X	4T-B60CP1X
PICTURE					
Screen Size (Diagonal)	80" (203 cm)	70" (177 cm)	60" (153 cm)		
Resolution	7,680 x 4,320	7,680 x 4,320	7,680 x 4,320		
HDR10	Yes	Yes	Yes		
Engine	Aquos 8K Engine				
Colour Enhancement	Real Colour Pro	Real Colour Pro	Real Colour Pro		
Brightness Enhancement	Ultra Brightness	Super Brightness	Super Brightness		
Contrast Enhancement	Ultra Dynamic Range Pro				
Motion Enhancement	AquaMotion				
TUNER SYSTEM					
TV Receiving System (Digital)	DVB-T2	DVB-T2	DVB-T2		
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1				
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60				
Antenna Booster	Yes	Yes	Yes		
AUDIO					
Output Power	70 W	70 W	55 W		
Surround	Eitec Prism	Eitec Prism	Eitec Prism		
Decoder	Dolby Audio	Dolby Audio	Dolby Audio		
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer		
SMART					
Platform	Android 8.0	Android 8.0	Android 8.0		
Browser	Yes *	Yes *	Yes *		
Youtube	Yes	Yes	Yes		
Voice Search	Google Assistant	Google Assistant	Google Assistant		
Others	NETFLIX	NETFLIX	NETFLIX		
CONVENiences					
Mirroring / Casting	Chromecast	Chromecast	Chromecast		
Wallpaper Mode	Yes	Yes	Yes		
Comfort Mode	No	No	No		
Child Timer	No	No	No		
Eco Mode	No	No	No		
Slim Design	No	Yes	Yes		
CONNECTIVITY					
HDMI	6	6	6		
Video In	1	1	1		
USB Movie	2	2	2		
SD Card Slot	No	No	No		
Ethernet LAN	Yes	Yes	Yes		
Wireless LAN	Yes	Yes	Yes		
Bluetooth	Remote & Joystick				
Digital Audio Output	Yes	Yes	Yes		
Headphone	1	1	1		
PC Input (D-Sub 15 Pin)	No	No	No		
RS-232C	No	No	No		
OTHERS					
Power Consumption	775 W	550 W	480 W		
Dimension Without Stand (mm)	1809 x 1048 x 110	1562 x 916 x 103	1354 x 797 x 103		
Dimension With Stand (mm)	1889 x 1491 x 643	1562 x 993 x 440	1354 x 874 x 440		
Weight Without Stand (kg)	55	41	30,5		
Weight With Stand (kg)	60,5	49	38,5		

8K LED TELEVISION			
MODEL	8T-C80AX1X	8T-C70AX1X	8T-C60AX1X
PICTURE			
Screen Size (Diagonal)	80" (203cm)	70" (177 cm)	60" (153 cm)
Resolution	7,680 x 4,320	7,680 x 4,320	7,680 x 4,320
HDR10	Yes	Yes	Yes
Engine	Aquos 8K Engine		
Colour Enhancement	Real Colour Pro	Real Colour Pro	Real Colour Pro
Brightness Enhancement	Ultra Brightness	Super Brightness	Super Brightness
Contrast Enhancement	Ultra Dynamic Range Pro		
Motion Enhancement	AquaMotion		
TUNER SYSTEM			
TV Receiving System (Digital)	DVB-T2	DVB-T2	DVB-T2
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1		
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60		
Antenna Booster	Yes	Yes	Yes
AUDIO			
Output Power	70 W	70 W	55 W
Surround	Eitec Prism	Eitec Prism	Eitec Prism
Decoder	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer
SMART			
Platform	Android 8.0	Android 8.0	Android 8.0
Browser	Yes *	Yes *	Yes *
Youtube	Yes	Yes	Yes
Voice Search	Google Assistant	Google Assistant	Google Assistant
Others	NETFLIX	NETFLIX	NETFLIX
CONVENiences			
Mirroring / Casting	Chromecast	Chromecast	Chromecast
Wallpaper Mode	Yes	Yes	Yes
Comfort Mode	No	No	No
Child Timer	No	No	No
Eco Mode	No	No	No
Slim Design	No	Yes	Yes
CONNECTIVITY			
HDMI	6	6	6
Video In	1	1	1
USB Movie	2	2	2
SD Card Slot	No	No	No
Ethernet LAN	Yes	Yes	Yes
Wireless LAN	Yes	Yes	Yes
Bluetooth	Remote & Joystick		
Digital Audio Output	Yes	Yes	Yes
Headphone	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No
RS-232C	No	No	No
OTHERS			
Power Consumption	775 W	550 W	480 W
Dimension Without Stand (mm)	1809 x 1048 x 110	1562 x 916 x 103	1354 x 797 x 103
Dimension With Stand (mm)	1889 x 1491 x 643	1562 x 993 x 440	1354 x 874 x 440
Weight Without Stand (kg)	55	41	30,5
Weight With Stand (kg)	60,5	49	38,5

LED TELEVISION				
MODEL	2T-C50BG1i	2T-C42BG1i	2T-C32BG1i	
PICTURE				
Screen Size (Diagonal)	50" (126 cm)	42" (105 cm)	32" (80 cm)	
Resolution	1920 x 1,080	1920 x 1,080	1366 x 768	
HDR10	Yes	Yes	Yes	
Engine	X2 Master Engine	X2 Master Engine	X2 Master Engine	
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour	
Brightness Enhancement	No	No	No	
Contrast Enhancement	No	No	No	
Motion Enhancement	No	No	No	
TUNER SYSTEM				
TV Receiving System (Digital)	DVB-T2	DVB-T2	DVB-T2	DVB-T2
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1			
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60			
Antenna Booster	Yes	Yes	Yes	Yes
AUDIO				
Output Power	10W x 2	10W x 2	10W x 2	10W x 2
Surround	Original Surround	Original Surround	Original Surround	Original Surround
Decoder	Dolby Audio	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer	Sound Reflector
SMART				
Platform	Easy Smart 3.0	Easy Smart 3.0	Easy Smart 3.0	No
Browser	Yes	Yes	Yes	No
Youtube	Yes	Yes	Yes	No
Voice Search	No	No	No	No
Others	Azan Mode	Azan Mode	Azan Mode	No
CONVENiences				
Mirroring / Casting	Wireless Mirroring	Wireless Mirroring	Wireless Mirroring	No
Wallpaper Mode	Yes	Yes	Yes	No
Comfort Mode	No	No	No	No
Child Timer	No	No	No	No
Eco Mode	Yes	Yes	Yes	Yes
Slim Design	No	No	No	No
CONNECTIVITY				
HDMI	2	2	2	3
Video In	1	1	1	1
USB Movie	1	1	1	1 + 1
SD Card Slot	No	No	No	No
Ethernet LAN	Yes	Yes	Yes	No
Wireless LAN	Yes	Yes	Yes	No
Bluetooth	Yes (IN & OUT)	Yes (IN & OUT)	Yes (IN & OUT)	No
Digital Audio Output	No	No	No	No
Headphone	1	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No	No
RS-232C	No	No	No	No
OTHERS				
Power Consumption	250 W	190 W	141 W	190 W
Dimension Without Stand (mm)	1564 x 910 x 91	1355 x 791 x 86	1122 x 666 x 74	1355 x 791 x 86
Dimension With Stand (mm)	1564 x 989 x 361	1355 x 856 x 379	1122 x 708 x 253	1355 x 856 x 300
Weight Without Stand (kg)	39	25.5	12	18
Weight With Stand (kg)	42	27	12.5	19
Power Consumption	120 W	45 W	36 W	
Dimension Without Stand (mm)	1122 x 666 x 74	956 x 576 x 81	731 x 466 x 75	
Dimension With Stand (mm)	1122 x 708 x 253	916 x 646 x 248	731 x 519 x 195	
Weight Without Stand (kg)	14.0	7.4	4.9	
Weight With Stand (kg)	15.0	7.6	5.0	

LED TELEVISION			
MODEL	2T-C50AE1i	2T-C45AE1X	LC-32SA4500i
PICTURE			
Screen Size (Diagonal)	50" (126 cm)	45" (113 cm)	32" (80 cm)
Resolution	1920 x 1080	1920 x 1080	1366 x 768
HDR10	No	No	No
Engine	X2 Master Engine	X2 Master Engine	X2 Master Engine
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour
Brightness Enhancement	No	No	No
Contrast Enhancement	No	No	No
Motion Enhancement	AquoMotion 200	AquoMotion 200	No
TUNER SYSTEM			
TV Receiving System (Digital)	DVB-T2	DVB-T2	DVB-T2
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1		
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60		
Antenna Booster	Yes	Yes	Yes
AUDIO			
Output Power	10W x 2	10W x 2	5W x 2
Surround	Original Surround	Original Surround	Original Surround
Decoder	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer
SMART			
Platform	Easy Smart 3.0	Easy Smart 3.0	Easy Smart 2.0
Browser	Yes	Yes	Yes
Youtube	Yes	Yes	Yes
Voice Search	No	No	No
Others	Azan Mode	Azan Mode	No
CONVENiences			
Mirroring / Casting	Wireless Mirroring	Wireless Mirroring	Wireless Mirroring
Wallpaper Mode	Yes	Yes	Yes
Comfort Mode	No	No	No
Child Timer	No	No	No
Eco Mode	No	No	No
Slim Design	No	Yes	No
CONNECTIVITY			
HDMI	2	2	2
Video In	1	1	1
USB Movie	1	1	1
SD Card Slot	No	No	No
Ethernet LAN	Yes	Yes	Yes
Wireless LAN	Yes	Yes	Yes
Bluetooth	Yes (IN & OUT)	Yes (IN & OUT)	No
Digital Audio Output	No	No	No
Headphone	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No
RS-232C	No	No	No
OTHERS			
Power Consumption	110 W	100 W	44 W
Dimension Without Stand (mm)	1122 x 666 x 74	1014 x 581 x 64	731 x 466 x 75
Dimension With Stand (mm)	1122 x 708 x 253	1014 x 622 x 230	731 x 519 x 195
Weight Without Stand (kg)	11.5	9	4.9
Weight With Stand (kg)	12	9.5	5

LED TELEVISION			
MODEL	2T-C50AE1i	2T-C45AE1X	LC-32SA4500i
PICTURE			
Screen Size (Diagonal)	50" (126 cm)	45" (113 cm)	32" (80 cm)
Resolution	1920 x 1080	1920 x 1080	1366 x 768
HDR10	No	No	No
Engine	X2 Master Engine	X2 Master Engine	X2 Master Engine
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour
Brightness Enhancement	No	No	No
Contrast Enhancement	No	No	No
Motion Enhancement	AquoMotion 200	AquoMotion 200	No
TUNER SYSTEM			
TV Receiving System (Digital)	DVB-T2	DVB-T2	DVB-T2
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1		
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60		
Antenna Booster	Yes	Yes	Yes
AUDIO			
Output Power	10W x 2	10W x 2	5W x 2
Surround	Original Surround	Original Surround	Original Surround
Decoder	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer
SMART			
Platform	Easy Smart 3.0	Easy Smart 3.0	Easy Smart 2.0
Browser	Yes	Yes	Yes
Youtube	Yes	Yes	Yes
Voice Search	No	No	No
Others	Azan Mode	Azan Mode	No
CONVENiences			
Mirroring / Casting	Wireless Mirroring	Wireless Mirroring	Wireless Mirroring
Wallpaper Mode	Yes	Yes	Yes
Comfort Mode	No	No	No
Child Timer	No	No	No
Eco Mode	No	No	No
Slim Design	No	Yes	No
CONNECTIVITY			
HDMI	2	2	2
Video In	1	1	1
USB Movie	1	1	1
SD Card Slot	No	No	No
Ethernet LAN	Yes	Yes	Yes
Wireless LAN	Yes	Yes	Yes
Bluetooth	Yes (IN & OUT)	Yes (IN & OUT)	No
Digital Audio Output	No	No	No
Headphone	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No
RS-232C	No	No	No
OTHERS			
Power Consumption	110 W	100 W	44 W
Dimension Without Stand (mm)	1122 x 666 x 74	1014 x 581 x 64	731 x 466 x 75
Dimension With Stand (mm)	1122 x 708 x 253	1014 x 622 x 230	731 x 519 x 195
Weight Without Stand (kg)	11.5	9	4.9
Weight With Stand (kg)	12	9.5	5

LED TELEVISION				
MODEL	LC-32SA4200i	LC-32SA4102i	2T-C32BA1i	2T-C32BA2i
PICTURE				
Screen Size (Diagonal)	32" (80 cm)	32" (80 cm)	32" (80 cm)	32" (80 cm)
Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768
HDR10	No	No	No	No
Engine	No	No	No	No
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour	Wide Colour
Brightness Enhancement	No	No	No	No
Contrast Enhancement	No	No	No	No
Motion Enhancement	No	No	No	No
TUNER SYSTEM				
TV Receiving System (Digital)	DVB-T2	DVB-T2	No	No
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1			
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60			
Antenna Booster	Yes	Yes	Yes	Yes
AUDIO				
Output Power	10W x 2	5W x 2	10W x 2	10W x 2
Surround	Original Surround	Original Surround	Original Surround	Original Surround
Decoder	Dolby Audio	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer	Bass Enhancer
SMART				
Platform	No	No	No	No
Browser	No	No	No	No
Youtube	No	No	No	No
Voice Search	No	No	No	No
Others	No	No	No	No
CONVENiences				
Mirroring / Casting	No	No	No	No
Wallpaper Mode	No	No	No	No
Comfort Mode	Yes	Yes	Yes	Yes
Child Timer	Yes	Yes	Yes	Yes
Eco Mode	Yes	Yes	Yes	Yes
Slim Design	No	No	No	No
CONNECTIVITY				
HDMI	2	2	2	2
Video In	1	1	1	1
USB Movie	1	1	1	1
SD Card Slot	No	No	No	No
Ethernet LAN	No	No	No	No
Wireless LAN	No	No	No	No
Bluetooth	No	No	No	No
Digital Audio Output	No	No	No	No
Headphone	1	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No	No
RS-232C	No	No	No	No
OTHERS				
Power Consumption	70 W	47 W	70 W	70 W
Dimension Without Stand (mm)	956 x 646 x 248	731 x 466 x 75	956 x 646 x 248	956 x 646 x 248
Dimension With Stand (mm)	956 x 646 x 248	731 x 519 x 195	956 x 646 x 248	956 x 646 x 248
Weight Without Stand (kg)	7,5	4,9	7,5	7,5
Weight With Stand (kg)	8,0	5	8,0	8,0

LED TELEVISION				
MODEL	2T-C32BD1i-TG	LC-32SA4200i	2T-C32BB1i-TB	2T-C32BB2i-TW
PICTURE				
Screen Size (Diagonal)	32" (80 cm)	32" (80 cm)	32" (80 cm)	32" (80 cm)
Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768
HDR10	No	No	No	No
Engine	No	No	No	No
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour	Wide Colour
Brightness Enhancement	No	No	No	No
Contrast Enhancement	No	No	No	No
Motion Enhancement	No	No	No	No
TUNER SYSTEM				
TV Receiving System (Digital)	DVB-T2	DVB-T2	No	No
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1			
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60			
Antenna Booster	Yes	Yes	Yes	Yes
AUDIO				
Output Power	10W x 2	5W x 2	10W x 2	10W x 2
Surround	Original Surround	Original Surround	Original Surround	Original Surround
Decoder	Dolby Audio	Dolby Audio	Dolby Audio	Dolby Audio
Sound Enhancement	Bass Enhancer	Bass Enhancer	Bass Enhancer	Bass Enhancer
SMART				
Platform	No	No	No	No
Browser	No	No	No	No
Youtube	No	No	No	No
Voice Search	No	No	No	No
Others	No	No	No	No
CONVENiences				
Mirroring / Casting	No	No	No	No
Wallpaper Mode	No	No	No	No
Comfort Mode	Yes	Yes	Yes	Yes
Child Timer	Yes	Yes	Yes	Yes
Eco Mode	Yes	Yes	Yes	Yes
Slim Design	No	No	No	No
CONNECTIVITY				
HDMI	2	2	2	2
Video In	1	1	1	1
USB Movie	1	1	1	1
SD Card Slot	No	No	No	No
Ethernet LAN	No	No	No	No
Wireless LAN	No	No	No	No
Bluetooth	No	No	No	No
Digital Audio Output	No	No	No	No
Headphone	1	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No	No
RS-232C	No	No	No	No
OTHERS				
Power Consumption	70 W	47 W	70 W	70 W
Dimension Without Stand (mm)	956 x 646 x 248	731 x 466 x 75	956 x 646 x 248	956 x 646 x 248
Dimension With Stand (mm)	956 x 646 x 248	731 x 519 x 195	956 x 646 x 248	956 x 646 x 248
Weight Without Stand (kg)	7,5	4,9	7,5	7,5
Weight With Stand (kg)	8,0	5	8,0	8,0

LED TELEVISION					
MODEL	2T-C24CB3i-BK/WH	LC-24SA4100i	LC-24SA4000i	LC-24LE175i	LC-24LE170i
PICTURE					
Screen Size (Diagonal)	24"(60cm)	24" (60 cm)	24" (60 cm)	24" (60 cm)	24" (60 cm)
Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768	1366 x 768
HDR10	No	No	No	No	No
Engine	No	No	No	No	No
Colour Enhancement	Wide Colour	Wide Colour	Wide Colour	Wide Colour	Wide Colour
Brightness Enhancement	No	No	No	No	No
Contrast Enhancement	No	No	No	No	No
Motion Enhancement	No	No	No	No	No
TUNER SYSTEM					
TV Receiving System (Digital)	No	No	No	No	No
TV Receiving System (Analogue)	PAL-B/G, -D/K, -I, SECAM-B/G, -D/K, -K/K1				
Video Colour Systems	PAL, SECAM, NTSC 3.58, NTSC 4.43, PAL 60				
Antenna Booster	Yes	Yes	Yes	Yes	Yes
AUDIO					
Output Power	5W x 2	3W x 2	3W x 2	3W x 2	3W x 2
Surround	Original Surround	Original Surround	Original Surround	Original Surround	Original Surround
Decoder	No	No	No	No	No
Sound Enhancement	No	No	No	No	No
SMART					
Platform	No	No	No	No	No
Browser	No	No	No	No	No
Youtube	No	No	No	No	No
Voice Search	No	No	No	No	No
Others	No	No	No	No	No
CONVENiences					
Mirroring / Casting	No	No	No	No	No
Wallpaper Mode	No	No	No	No	No
Comfort Mode	Yes	No	No	No	No
Child Timer	Yes	No	No	No	No
Eco Mode	Yes	Yes	Yes	Yes	Yes
Slim Design	No	No	No	No	No
CONNECTIVITY					
HDMI	2	1	1	1	1
Video In	1	1	1	1	1
USB Movie	1	1	1 (Music & Picture)	1	No
SD Card Slot	No	No	No	No	No
Ethernet LAN	No	No	No	No	No
Wireless LAN	No	No	No	No	No
Bluetooth	No	No	No	No	No
Digital Audio Output	No	No	No	No	No
Headphone	1	1	1	1	1
PC Input (D-Sub 15 Pin)	No	No	No	No	No
RS-232C	No	No	No	No	No
OTHERS					
Power Consumption	35 W	35 W	35 W	35 W	35 W
Dimension Without Stand (mm)	560 x 343 x 48	560 x 343 x 48	560 x 343 x 48	549 x 327 x 84	549 x 327 x 84
Dimension With Stand (mm)	560 x 393 x 201	560 x 393 x 201	560 x 393 x 201	549 x 347 x 150	549 x 347 x 150
Weight Without Stand (kg)	3,6	3,6	3,6	2,7	2,7
Weight With Stand (kg)	3,8	3,8	3,8	2,9	2,9

AUDIO						
MODEL	AN-SS1	AN-SS2 / AN-SS2M	AN-SX7A	PS-930	PS-920	GX-BT1
Speaker Type	Stereo 4-Way	Stereo 4-Way	Stereo 4-Way	Stereo 2-Way	Stereo 2-Way	Stereo 2-Way
Power Requirements	4.75-5.3V~230mAh	3.7V, 420mAh	3.7V, 750mAh	AC 110-240V, 50/60Hz * DC 12V, 7.2Ah Rechargeable Battery	5.0V, 800mAh	
Power Output	1.4 W RMS	1.4 W RMS	2.4 W RMS	70 W		20 W
Woofer	-	-	-	8" Woofer x 2	6.5" Woofer x 2	-
Mid	Yes	Yes	Yes	-	-	48mm x 2
Tweeter	-	-	-	3" Tweeter x 2	2" Tweeter x 2	-
Frequency Range	20 Hz - 20,000 Hz					
Input Impedance	8 Ohms	8 Ohms	4 Ohms	3 Ohms	3 Ohms	4 Ohms
Input Terminal	Micro USB (Charging)			2 USB, 2 Mic, AUX-in		Micro USB (Charging)
Output Terminal	-	-	-	-	-	-
MIC Terminal	Built-in	Built-in	Built-in	2	-	-
Mic Control	-	-	-	-	Yes	-
Audio Controls	Volume Control	Volume Control	Volume Control	Unit Control		Volume Control
Dimension (WxHxD) mm	181 x 16 x 181	181 x 18 x 181	227 x 46 x 181	280 x 660 x 280		84 x 210 x 84
Net Weight	88 g	88 g	280 g	10 kg		0.5 kg
Gross Weight	0.3 kg	0.3 kg	0.7 kg	11 kg		0.8 kg

ACTIVE SPEAKER					
MODEL	CBOX-HBPRO8UBO	CBOX-HB08UBO	CBOX-HB06UBO	CBOX-MAX06UBO	
Speaker Type	3-Way speaker system	8" 2-way, Bass-reflex system	6" 2-way, Bass-reflex system	6" 2.1 Multimedia Bass-reflex system	
Power Requirements	AC 220 V ~ 50 Hz	AC 220 V ~ 50 Hz	AC 220 V ~ 50 Hz	AC 220 V ~ 50 Hz	
Power Output	2 x 40 W (RMS) / 18000 W (PMPO)		2 x 30W (RMS) / 13000W (PMPO)	2 x 20W (RMS) + 1 x 40W (RMS) / 12500W (PMPO)	
Driver	Woofer	2 x 20.3cm (8"), 6 Ohm, 40 W	2 x 8" Cone Paper, 6 Ohm, 40W	2 x 6" Cone Paper, 6 Ohm, 40W	15.2cm (6"), 6 Ohm, 40W, Front-firing, Bass-reflex system (SUB)
	Mid	2 x 7.5cm (3"), 4 Ohm, 30 W			
	Tweeter	2 x 2.5cm (1"), 25 W (Piezzo)	2 x 1" Piezo, 25W	2 x 1" Piezo, 25W	2 x 7.6cm (3"), 4 Ohm, 15W (Sat)
Frequency Range	20 Hz - 20 KHz				
Input Impedance	50K Ohms	50K Ohms	50K Ohms	50K Ohms	
Input Sensitivity (High)	600 mV	600 mV	600 mV	600 mV	
Input Terminal (Support)	XLR Pro in-out, USB MP3 playback, Audio Bluetooth (A2DP profile), FM radio, AUX-in (3.5mm mini-jack & RCA L/R)	USB MP3 playback, Audio Bluetooth (A2DP profile), FM radio, AUX-in (3.5mm mini-jack & RCA L/R)	USB MP3 playback, Audio Bluetooth (A2DP profile), FM radio, AUX-in (3.5mm mini-jack & RCA L/R)	USB MP3 playback, Audio Bluetooth (A2DP profile), FM radio, AUX-in (3.5mm mini-jack & RCA L/R)	
Output Terminal	XLR Pro in-out, RCA	RCA	RCA	RCA	
Mic Terminal	1-Terminal	1-Terminal	1-Terminal	1-Terminal	
MIC Control	Mic Volume, ECHO	Mic Volume, ECHO	Mic Volume, ECHO	Mic Volume, ECHO	
Audio Control	6-EQ preset (NORMAL, POP, ROCK, JAZZ, CLASSIC, CUT), Volume				Volume, Bass, Treble, Volume Mic, ECHO
Power Consumption	Max	142 W	142 W	80W	22W
	No Signal	23 W	23 W	23 W	92W
Dimension (per unit) WHD mm	399 X 297 X 608 mm		399 X 297 X 608 mm	378 x 316 x 612 mm	Subwoofer : 210 x 310 x 363 mm, Satellites : 110 x 143 x 180 mm
Net Weight	13,1 kg		13,1 kg	8,4 kg	6 kg (SUB), 2 x 0.86 kg (Sat)
Gross Weight	14,8 kg		14,8 kg	9,8 kg	8 kg
Others	1 unit Audio Tripod (Separate box), Strong Carbon PVC	Black wood-grain with Black sand-emboss PVC finish	Black wood-grain with Black sand-emboss PVC finish		

ACTIVE SPEAKER					
MODEL	CBOX-PRO10UBB	CBOX-PRO12UBB	CBOX-PRO15UBB	CBOX-PRO20UBB	CBOX-PRO22UBB
Speaker type	3-way speaker system				
Power requirements	AC 220V, 50Hz/60Hz				
Power output	1 x 60W (RMS) 16000W (PMPO)	1 x 60W (RMS) 17000W (PMPO)	1 x 70W (RMS) 19000W (PMPO)	2 x 60W (RMS) 20000W (PMPO)	2 x 60W (RMS) 22000W (PMPO)
Drivers	Woofer	10" Cone paper type, 6 Ohm, 60 W	12" Cone paper type, 6 Ohm, 60 W	15" Cone paper type, 6 Ohm, 100 W	2x10" Cone paper type, 6 Ohm, 60 W
	Mid	3" Cone paper type, 4 Ohm, 30 W			
	Tweeter	1" Piezo, 4 Ohm, 25 W	1" Piezo, 4 Ohm, 25 W	1" Piezo, 4 Ohm, 25 W	1" Piezo, 4 Ohm, 25 W
Frequency range	20Hz - 20KHz				
Input impedance	50K Ohms	50K Ohms	50K Ohms	50K Ohms	50K Ohms
Input sensitivity (High)	600mV	600mV	600mV	600mV	600mV
Input terminal (support)	USB MP3 playback, USB Video (MP4,MKV,AVI,FLV,3GP,DIVX,DAT) playback, Audio Bluetooth (A2DP profile), FM radio, AUX-in (3.5mm mini-jack & RCA L/R)				
Output terminal	CVBS out to LCD unit (RCA type)				
MIC terminal	2 ports (6.3mm Phone-jack type)				
MIC controls	Mic volume, ECHO	Mic volume, ECHO	Mic volume, ECHO	Mic volume, ECHO	Mic volume, ECHO
Audio controls	XBASS, Bass, Treble, Volume				
Power Consumption	Max	90W	90W	100W	180W
	No Signal	22W			
Dimensions (per unit) (WxHxD) mm	315 x 600 x 273 mm	395 x 613 x 326 mm	510 x 767 x 390 mm	331 x 1200 x 395 mm	395 x 1280 x 331 mm
Net Weight	12.3 kg	15.3 kg	22.6 kg	25.2 kg	29.6 kg
Gross Weight	14.2 kg	18.3 kg	25.6 kg	28.4 kg	33.5 kg
Others	Unique Carbon PVC Texture				

ACTIVE SPEAKER									
MODEL	CBOX-RB1280UBL	CBOX-RB988UBL	CBOX-B880UBL2	CBOX-B808UBO2					
Speaker type	3-way speaker system								
Power requirements	AC 220V, 50Hz/60Hz								
Power output	22.000W PMPO (2x40W (RMS))	20.000W PMPO (1x40W (RMS))	20.000W PMPO (2x40W (RMS))	18.000W PMPO (2x30W (RMS))					
Drivers	Woofer	12 inch, 4 Ohm, 50 W	8 inch, 6 Ohm, 30 W (2x)	8" Silver Concave type with Magnetically-shielded	8" Cone paper with Metalwave-mesh and Magnetically-shielded				
	Mid	5 inch, 6 Ohm, 30 W	8 inch, 6 Ohm, 30 W (2x)	8" Black Concave type with Magnetically-shielded	3" Cone paper type with Magnetically-shielded				
	Tweeter	1 inch, 4 Ohm, 25 W	1" Piezzo, 4 Ohm, 25 W	1" Piezo	1" Piezo with semi-horn				
Frequency range	20Hz - 20KHz								
Input impedance	50K Ohms								
Input sensitivity	High	600mV							
	Low	-							
Input terminal	USB (MP3), Line-in RCA (L/R)	Bluetooth (A2DP Protocol), USB Playback, AUX-IN (RCA type L/R), FM Radio							
Output terminal	SPEAKER OUT to passive cabinet								
MIC terminal	2 ports (6.3mm Phone-jack type)								
MIC controls	Mic volume, ECHO								
Audio controls	XBASS, Bass, Treble, Volume								
Dimensions (per unit) W x H x D	376 x 810 x 295 mm	284 x 847 x 260 mm	284 x 847 x 260 mm	296 x 270 x 684					
Net Weight	Active cabinet	13.2 kg	11.1 kg	11.7 kg	10.3 kg				
	Passive cabinet	11.3 kg	9.3 kg	9.9 kg	8.5 kg				
Gross Weight	28.3 kg	22.9 kg	23.8 kg	20.8 kg					
Others	Unique Carbon PVC Texture		Black wood-grain with Black sand-emboss PVC finish	Walnut wood-grain with Black sand-emboss PVC finish					

ACTIVE SPEAKER					
MODEL	CBOX-B805UBO2	CBOX-B635UBO	CBOX-B625UBO		
Speaker type	8" 3-way, Bass-reflex system	2-way speaker system	2-way speaker system		
Power requirements	AC 220V, 50Hz/60Hz				
Power output	18.000W PMPO, 2 x 30W (RMS)				
Drivers	Woofer	8" Cone paper type with Metalwave-mesh & Magnetically-shielded	6", 6 Ohm, 30 W		
	Mid	3" Cone paper type with Magnetically-shielded	-		
	Tweeter	1" Piezo	1" Piezzo, 4 Ohm, 25 W		
Frequency range	20Hz - 20KHz				
Input impedance	50K Ohms				
Input sensitivity	High	600 mV			
	Low	-			
Input terminal	Bluetooth (A2DP Protocol), USB MP3 Playback, AUX-IN (RCA type L/R)				
Output terminal	SPEAKER OUT to passive cabinet				
MIC terminal	2 ports (6.3mm Phone-jack type)				
MIC controls	Mic volume, ECHO				
Audio controls	XBASS, Bass, Treble, Volume				
Dimensions (per unit) W x H x D	255 x 677 x 290 mm	221 x 550 x 236 mm	203 x 391 x 187 mm		
Net Weight	Active cabinet	10.4 Kg	4.765 kg		
	Passive cabinet	8.7 Kg	3.7 kg		
Gross Weight	21.3 Kg	9.51 kg	8.33 kg		
Others	Brown Cherry wood-grain with Black sand-emboss PVC finish	Wooden Walnut PVC Texture	Wooden Walnut PVC Texture		

Branch & Service Center



1. Jakarta
Branch : Ruko Italian Walk Blok. C 51-55
 Mall Of Indonesia, Jl. Raya Boulevard Barat
 No. 1, Kelapa Gading, Jakarta 14240
 Telp : (021) 80617100
 Fax : (021) 80617123

Service Center : Jl. Swadaya IV,
 Kel. Rawaterate, Pulosari, Jakarta 13920
 Telp : (021) 4695456
 0800 1225588 (Bebas Pulsa)
 Fax : (021) 4600725

2. Bogor
Branch & Service Center :
 Jl. Achmad Adnawijaya No. 130. Kel. Tegal
 Gundil, Kec. Bogor Utara, Bogor 16152
 Telp : (0251) 8393876 / 8373167

3. Serang, Banten
Branch : Jl. Ayip Usman, Kel. Kaligandu
 Telp : 0254-8491077 / 8491079
 Fax : 0254-8491078

4. Medan
Branch & Service Center :
 Jl. Amal Luhur No. 125. Kel. Dwikora
 Kec. Helvetia Medan 20123
 Telp : (061) 8448506

5. Pekanbaru, Riau
Branch & Service Center :
 Jl. Tuanku Tambusai Utama No. 369,
 Kel. Lubuk Baru Barat, Kec. Payung Sekaki
 Telp : (0761) 7891397 / 7891496
 Fax : (0761) 7891398

6. Padang
Branch & Service Center :
 Jl. Raya By Pass KM.8.5. Kel. Pasar
 Ambacang, Kec. Kurangi, Padang 25152
 Telp : (0751) 778746 / 778747 / 778748
 Fax : (0751) 778749

7. Palembang
Branch & Service Center :
 Jl. Veteran No. 85 / 1779, Rt. 23 / 07
 Kel. Kuto Batu II Timur II
 Telp : (0711) 364386 / 374323
 Fax : (0711) 374323

8. Jambi
Branch & Service Center :
 Jl. Kol. M. Taher, No. 84A, Rt.13
 Kel. Pakuan Baru, Kec. Jambi Selatan
Service Center : Jl. Kol. M. Taher No. 40
 Talang Banjar, Jambi Timur
 Telp : (0741) 3601093 / 31731 / 33734
 Fax : (0741) 3601093

9. Lampung
Branch & Service Center :
 Jl. Tembesu No.1 (Depan gudang BULOG)
 Tanjung Karang Timur, Bandar Lampung
 Telp : (0721) 5606001-3

10. Cirebon
Branch & Service Center :
 Jl. Kesuean No. 5 Kec. Lemah Wungku
 Kota Cirebon 45114
 Telp : (0231) 207132 / 206287
 Fax : (0231) 201788

11. Bandung
Branch & Service Center :
 Jl. Arjuna No. 67-69, Cicendo, Bandung
 Telp : (022) 6032223 / 6041422
 Fax : (022) 6078110

12. Purwokerto
Branch & Service Center :
 Jl. Suparjo Rustam Sokaraja, Purwokerto
 Telp : (0281) 6844010 / 4053 / 4057
 Fax : (0281) 6844010

13. Semarang, Jawa Tengah
Branch & Service Center :
 Jl. Brigjend Sudirman No. 583 Semarang
 Telp : (024) 6712213
 Fax : (024) 6716785

14. Yogyakarta
Branch & Service Center :
 Jl. Ringroad Utara Sumber Baru Square
 RT. 001/07, Sendangadi Mlati, Sleman
 Telp : (0274) 8600112 / 113 / 114
 Fax : (0274) 8600114

15. Kediri
Branch & Service Center :
 Jl. Mayor Bismo No. 75 Kediri
 Telp : (0354) 683350 / 696889 / 696890
 Fax : (0354) 683350

16. Malang, Jawa Timur
Service Center :
 Jl. Sunandar Priyo Sudarmo No. 8 Blok I
 Telp : (0341) 404924 / 404926
 Fax : (0341) 404926

17. Surabaya
Branch : Jl. Raya Prapen No. 305
 Kel. Sidosermo, Kec. Wonocolo
 Telp : (031) 8478010-11
Service Center : Kartini No. 100
 Telp : (031) 5615901 / 5615905
 0800 1225588 (Bebas Pulsa)
 Fax : (031) 5673256

18. Jember
Branch & Service Center :
 Jl. Otto Iskandar Dinata 41-42
 Kel. Ajung, Jember, Jawa Timur
 Telp : (0331) 412490-92 / 08553040592
 Fax : (0331) 412494

19. Denpasar, Bali
Branch & Service Center :
 Jl. Gatot Subroto Barat No. 168 X
 Telp : (0361) 427999 / 428999 / 438999
 Fax : (0361) 438999

20. Pontianak
Branch & Service Center :
 Jl. Kom. Yos Sudarso (samping Toko
 Sinar Logam), Pontianak 78113
 Telp : (0561) 7696226

21. Banjarmasin, Kalimantan Selatan
Branch & Service Center :
 Jl. A.Yani KM 4,7 (Depan Hotel Global)
 Telp : (0511) 3268651 / 3276271 / 6272
 Fax : (0511) 3273889

22. Samarinda
Branch : Jl. P. Suryanata Komplek
 Samarinda Sentral Bizpark Blok A10-12B
 Telp : (0541) 741181
 0800-1225588 (bebas pulsa)
 Fax : (0541) 735537
Service Center : Jl. P. Diponegoro No. 56
 Telp : (0541) 741181

23. Manado
Branch & Service Center :
 Jl. Sudirman No. 111, Kel. Lawangirung
 Kec. Wenang, Manado 95123
 Telp : (0431) 874714 / 866385
 Fax : (0431) 844248

24. Palu
Branch & Service Center :
 Jl. Emmy Saelan No. 95
 Telp : (0451) 486808 / 486668
 Fax : (0451) 486809

25. Makassar
Branch & Service Center :
 Jl.G. Bulusaraung Komp. Bulusaraung
 Blok A No. 2 Makassar Sulawesi
 Telp : (0411) 3651322 / 3651332
 Fax : (0411) 3651343

26. Kendari, Sulawesi Tenggara
Branch & Service Center :
 Jl. La Ode Hadi By Pass Lepo-Lepo
 Telp : (0401) 3193104 / 108 / 018
 Fax : (0401) 3194452

SHARP Direct Service Station



JAWA

1. Bintaro
 Jl. Ciputat Raya No. 1, Rt. 01/06
 Kel. Pondok Pinang, Kec. Kebayoran
 Lama, Jakarta 12310
 Telp : (021) 73885702
 Fax : (021) 73885702

2. Bekasi
 Jl. Chairil Anwar Ruko Kalimas
 Blok B28, Margahayu, Bekasi Timur
 Telp : (021) 8806240
 Fax : (021) 8806240

3. Karawang
 Jl. Surokukon No.77 Adiarsa Timur,
 Telp : (0267) 8407079
 Fax : (0267) 433984

4. Cilegon
 Jl. Raya PCI, Komp. PCI Blok A16
 No. 8, Cibeber Cilegon
 Telp : (0254) 395972
 Fax : (0254) 395972

5. Tangerang
 Jl. Imam Bonjol RT. 04 / 03 No. 36
 Kel. Sukajadi, Karawaci, Tangerang
 Telp : (021) 55764138
 0800 1225588 (Bebas Pulsa)
 Fax : (021) 55764138

6. Serpong
 Ruko Tol Boulevard Blok G No. 23
 Bumi Serpong Damai
 Tangerang Selatan
 Telp : 0800 1225588 (Bebas Pulsa)

7. Cideng
 Jl. Musi No. 40 D, Jakarta Pusat
 Telp : (021) 34834182
 0800-1225588 (Bebas Pulsa)
 Fax : (021) 34834183

8. Sukabumi
 Jl. A Yani 308, Sukabumi
 Telp : (0266) 234203
 Fax : (0266) 234203

9. Tegal, Jawa Tengah
 Jl. Teuku Umar No. 50, Kel. Debong
 Kec. Tegal Selatan
 Telp : (0283) 3316606
 Fax : (0283) 325177

10. Tasikmalaya, Jawa Barat
 Jl. Veteran No. 43
 Telp : (0265) 336835
 Fax : (0265) 336835

11. Indramayu, Jawa Barat
 Grand Royal Residence E1, Blok RK
 No.18, Jl. Pasar Baru Indramayu
 Telp : (0234) 7121172

12. Kudus
 Jl. Sudirman No. 8, Barongan
 Telp : (0291) 441341
 Fax : (0291) 441341

13. Pekalongan
 Jl. Dr. Soetomo 31A, Pekalongan
 Telp : (0285) 411139
 Fax : (0285) 411139

14. Solo
 Jl. Bhayangkara No. 44A, Panularan
 Laweyan, Surakarta
 Telp : (0271) 733019
 Fax : (0271) 652169

15. Madinun
 Jl. HOS Cokroaminoto, No. 151B
 Telp : (0351) 456274
 Fax : (0351) 456274

16. Surabaya 2 (Prapen)
 Kawasan Pergudangan Safe & Lock
 Jl. Lingkar Timur Blok L
 Rangkah Kidul, Sidoarjo
 Telp : (031) 8478010 / 8011

17. Pamekasan, Madura
 Jl. Pintu Gerbang No.107, Kel. Bugih
 Telp : (0324) 3510528

18. Bima, Nusa Tenggara Barat
 Jl. Kambuja, Kel. Pane, Kec. Rasanae
 Telp : (0374) 44524 / 085 25397 /
 4976

19. Kupang, Nusa Tenggara Timur
 Jl. Baru Dompak Km. 8 Atas,
 Ruko D'Green City Blok A8
 Kel. Sungai Jang, Tanjung Pinang
 Telp : (0771) 442393
 Fax : (0771) 442393

20. Mataram, Nusa Tenggara Barat
 Jl. Sriwijaya, Perkoan Sriwijaya
 Town, No.19, Mataram
 Telp : (0376) 644555
 Fax : (0376) 644555

21. Singaraja, Bali
 Jl. WR Supratman No. 46
 Penarukan, Buleleng
 Telp : (0362) 3304500

22. Banda Aceh
 Jl. Dr. Ir. Mohd. Hasan, Batoh,
 Lueng Bata
 Telp : (0651) 48538
 Fax : (0651) 48537

23. Kisaran
 Jl. HOS. Cokroaminoto 349 Kisaran
 Telp : (0623) 42891
 Fax : (0623) 42891

24. Rantauprapat
 Jl. A. Yani No. 150, Rantauprapat
 Telp : (0624) 327600
 Fax : (0624) 327600

25. Padang Sidempuan, Sumatera Utara
 Jl. Wr. Supratman No. 31 Kel. Wek II
 Telp : (0634) 24599
 Fax : (0634) 24599

26. Tarakan
 Jl. Cendrawasih Blok A16, A17
 Komp. Ruko Cendrawasih
 Telp : (0551) 35644
 Fax : (0551) 33079

27. Rengat
 Jl. HOS Cokroaminoto No. 38
 Desa Sekip Hulu Rengat 29319
 Telp : (0769) 323149
 Fax : (0769) 323149

28. Batam
 Komp. Century Park, Blok F No. 11
 Telp : (0778) 7483120 / 7483121
 Fax : (0778) 7483110

29. Belitung
 Jl. Raya Jend Sudirman (Depan BTX
 Mart / Samping SMA Muhammadiyah
 Kel. Aik Raya Tj. Pandan, Belitung
 Telp : (0719) 9222242

30. Tanjung Pinang
 Jl. Baru Dompak Km. 8 Atas,
 Ruko D'Green City Blok A8
 Kel. Sungai Jang, Tanjung Pinang
 Telp : (0771) 442393
 Fax : (0771) 442393

31. Bukittinggi, Sumatera Barat
 Jl. Prof. Hamka No. 33 G2,
 Simpang Lanau, Bukittinggi Padang
 Telp : (0752) 628474
 Fax : (0752) 628474

32. Bengkulu
 Jl. S. Parman RT XIII (Depan Diknas
 Provinsi sebelah Bank BII, Bengkulu
 Telp : (0736) 342824
 Fax : (0736) 342824

33. Pangkal Pinang
 Jl. Depati Hamzah Kel. Bacang
 (Ruko Graha 27)
 Telp : (0717) 432 029

34. Muara Bungo
 Jl. Jend Sudirman, R1 02/01 No. 76
 Telp : (0747) 22133
 Fax : (0747) 22133

35. Lubuk Linggau, Sumatera Selatan
 Jl. Yos Sudarso No. 154 Taba
 Jemekeh, Lubuk Linggau
 Telp : (0733) 3283819

36. Ketapang, Kalimantan Barat
 Jl. DI. Panjaitan No 45 B
 Telp : (0534) 3036807 / 3036808
 Fax : (0534) 3036808

37. Tarakan
 Jl. Cendrawasih Blok A16, A17
 Komp. Ruko Cendrawasih
 Telp : (0551) 35644
 Fax : (0551) 33079

38. Sampit, Kalimantan Tengah
 Jl. Sudirman KM 1.25 (seberang
 PT Prima Jaya Hypermart) Sampit,
 Kotawaringin Timur 74322
 Telp : (0531) 31787

39. Balikpapan, Kalimantan Timur
 Jl. Indrakila, Strat III RT. 30
 Kel. Gunung Samarinda
 (Ruko Deretan Kimia Farma)
 Telp : (0542) 7203598
 Fax : (0542) 7203303

40. Pangkalpinang
 Jl. Paku Negara No. 29 RT. 11
 Telp : (0532) 6611912

SULAWESI
41. Gorontalo
 Jl. M. Yamin Komp. Ruko Puri Mawar
 2009, Kel. Limba B, Kec. Kota
 Selatan


42. Majene, Sulawesi Barat
 Jl. Jend. Sudirman Lembang Dua
 Kel. Baurung, Kec. Banggae Timur
 Telp : (0422) 21146
 Fax : (0422) 21146

43. Palopo, Sulawesi Selatan
 Jl. Andi Jemma No. 108 (Jend.
 Sudirman)
 Telp : 0800 1225588 (Bebas Pulsa)

44. Bau-Bau, Sulawesi Tenggara
 Jl. Betaoambi No. 177
 Telp : (0402) 2811897

45. Amboin, Maluku
 Jl. Anthony Rhebok No. 3C, RT.010
 Honipopu Sirimau
 Telp : (0911) 346304 / 311571
 Fax : (0911) 311571

46. Jayapura
 Jl. Raya Sentani No. 67G
 Abepura Papua
 Telp : (0967) 582710
 Fax : (0967) 582710



SHARP ID

DOWLOAD SEKARANG

SHARP ID

ANDROID APP ON